



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/995,624	11/29/2001	Tadashi Fujimura	111235	2285
25944 7.	590 10/18/2005		EXAMINER	
OLIFF & BERRIDGE, PLC P.O. BOX 19928			AGGARWAL, YOGESH K	
ALEXANDRIA, VA 22320			ART UNIT	PAPER NUMBER
			2615	

DATE MAILED: 10/18/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/995,624	FUJIMURA, TADASHI				
Office Action Summary	Examiner	Art Unit				
	Yogesh K. Aggarwal	2615				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on 05 Au	<u>igust 2005</u> .					
2a)⊠ This action is <b>FINAL</b> . 2b)□ This						
3)☐ Since this application is in condition for allowar	3) Since this application is in condition for allowance except for formal matters, prosecution as to the ments is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1,2 and 4-27</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1,2 and 4-27</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ acce	epted or b) $\square$ objected to by the E	Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) $\square$ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119	,					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)						
<ul> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)</li> </ul>	ite atent Application (PTO-152)					
Paper No(s)/Mail Date	6) Other:	(Ppineduoii (i 10-102)				

### Response to Arguments

1. Applicant's arguments with respect to claims 1,2 and 4-27 have been considered but are most in view of the new ground(s) of rejection.

### Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1, 11, 12 and 22-25 are rejected under 35 U.S.C. 102(e) as being anticipated by Yamagata (US Patent # 6,263,106).

### [Claims 1 and 11]

Yamagata teaches an image data processing device (figure 2 and 11), comprising processing device (compression circuit 44) that acquires basic image (image data) and generates simplified image data (compressed image data compressed by the compression circuit 44) corresponding to said basic image data that has been acquired, a size of said simplified image data being smaller than that of said basic image data (col. 4 lines 64-66); a transmission device (IC memory card control circuit 41 transmits image data to IC memory card) that transmits at least said basic image data to an external storage device (IC memory card M), an internal storage device (35) and a control device (25) that controls said processing device (44), said transmission device (41) and said internal storage device (35) and causes said internal storage device to store said basic image data and said simplified image data (col. 4 lines 44-63, also see figure 11) and to delete

Application/Control Number: 09/995,624 Page 3

Art Unit: 2615

said basic image data without deleting said simplified image data after said transmission device has transmitted said basic image data (col. 11 lines 39-col. 12 line 3, figure 11, steps S163-steps 167).

[Claim 12]

Yamagata teaches photographing several images of different compression ratios (figure 3), which is read as continuous photography and figure 2 disclose a CPU 25 for controlling continuous photography, memory 35 that stores the images, a transmitter 41 and a delete function as taught in steps S163-steps 167, figure 11.

[Claim 22]

Method claim 22 corresponds to apparatus claim 1 and is therefore analyzed and rejected the same as previously discussed with respect to apparatus claim 1.

[Claims 23-25]

Computer program storing claims 23-25 correspond to apparatus claim 1 and are therefore analyzed and rejected the same as previously discussed with respect to apparatus claim 1.

### Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 4 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamagata (US Patent # 6,263,106).

[Claim 4]

Yamagata teaches the limitations of claims 1 and 11 but fails to teach wherein the transmission device transmits via radio. However Official Notice is taken of the fact that it is notoriously common to have a transmission device transmit to an external device (like a PC) via radio if an external memory (IC card) is not mounted in order to not miss a photographic chance and to store the images. Therefore taking the combined teachings of Yamagata and Official Notice, it would be obvious to one skilled in the art at the time of the invention to have been motivated to have a transmission device transmit to an external device (like a PC) via radio if an external memory (IC card) is not mounted in order to not miss a photographic chance and to store the images.

### [Claim 9]

Yamagata teaches a power supply control device 52 that turns off a supply of power to the image data processing device upon actuation of an actuation member (col. 5 lines 16-25) but fails to teach if said actuation member is actuated while said signal transmission device is transmitting said basic image data to the external storage device, said power supply control device turns off said supply of power to the image data processing device after said signal transmission device has completed transmitting of said basic image data.

However Official Notice is taken of the fact that it is well known in the art to have an actuation member that if actuated while said signal transmission device is transmitting said basic image data to the external storage device, said power supply control device turns off said supply of power to the image data processing device after said signal transmission device has completed transmitting of said basic image data in order to have an uninterrupted transmission.

Therefore taking the combined teachings of Yamagata and Official notice it would be obvious to one skilled in the art at the time of the invention to have been motivated to have an actuation member that if actuated while said signal transmission device is transmitting said basic image data to the external storage device, said power supply control device turns off said supply of power to the image data processing device after said signal transmission device has completed transmitting of said basic image data in order to have an uninterrupted transmission of the image if the power supply is accidentally turned off.

6. Claims 17 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamagata (US Patent # 6,263,106) in view of Anderson (US Patent # 6,532,039).

[Claims 17, 19]

Yamagata teaches the limitations of claims 1 and 11 but fails to teach that the simplified image data is not transmitted to the external device. However Anderson teaches a memory map showing DRAM 346 (which clearly is an internal memory) that includes RAM disk 532, a system area 534 and working memory 530 (col. 4 line 66-col. 5 line 3, figures 3 and 4). Anderson further teaches that thumbnail images 606 (simplified image) are stored in a working memory 530 that is an internal memory as clearly shown in figure 3 (col. 6 lines 30-32).

Therefore taking the combined teachings of Yamagata and Anderson, it would be obvious to one skilled in the art at the time of the invention to have been motivated to have the simplified image data stored in a working internal memory and not transmitted to the external device in order to use the external memory for basic images only and thereby save on the memory space.

7. Claims 2, 5-8, 13-16, 18, 20 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamagata (US Patent # 6,263,106) in view of Tomat et al. (US Patent # 6,784,925).

[Claim 2]

Yamagata teach the recited limitations of claim 1 but fails to teach an identifying information generation device that generates identifying information for individually identifying correspondence between said basic image data and said simplified image data, wherein said signal transmission device transmits at least said basic image data and said identifying information to the external storage device, an internal storage device stores that stores said thumbnail image data and said identifying information and transmits it to the external device.

However Tomat et al. teaches an identifying information generation device (figure 1, camera 14) that generates identifying information (figure 23, element 212) for individually identifying correspondence between said basic image data (thumbnail images identify corresponding image files) and said simplified image data (thumbnail shown in the viewing area 192, figure 22), wherein said signal transmission device transmits at least said basic image data and said identifying information to the external storage device (col. 14 line 54-col. 15 line 39, figures 22 and 23). It would be inherent that the camera 14 has an internal storage device stores that stores said thumbnail image data and said identifying information and transmits it to the PC.

Therefore taking the combined teachings of Yamagata and Tomat it would be obvious to one skilled in the art at the time of the invention to have been motivated to have an identifying information generation device that generates identifying information for individually identifying correspondence between said basic image data and said simplified image data, wherein said

signal transmission device transmits at least said basic image data and said identifying information to the external storage device, an internal storage device stores that stores said thumbnail image data and said identifying information and transmits it to the external device included into the system of Yamagata as taught by Tomat in order to easily identify, transmit and store the images in an external storage device after they are transmitted from a camera.

### [Claim 5]

Tomat discloses displaying multiple thumbnail images (col. 15 lines 27-29). Therefore it would be inherent that the basic image data acquisition device, the simplified image data generation device, the transmission device, and the internal storage device perform processing for a plurality of sets of basic image data in the camera device 14, a command generation device that generates a delete command (figure 28, command 250 under the warning box) for deletion of simplified image data and basic image data corresponding to a simplified image which is selected by said selection device is provided and said signal transmission device transmits identifying information and a delete command corresponding to the simplified image that has been selected. to the external storage device (col. 17 lines 45-58). Official Notice is taken of a selection device that selects a single simplified image from said plurality of simplified images which have been displayed upon said display device is provided. Therefore taking the combined teachings of Yamagata, Tomat and Official notice it would be obvious to one skilled in the art at the time of the invention to have been motivated to have a selection device that selects a single simplified image from said plurality of simplified images which have been displayed upon said display device is provided in order to easily select an image by the user.

## [Claim 6]

Application/Control Number: 09/995,624

Art Unit: 2615

Tomat teaches a protect command for preventing deletion (figure 28, command 252) of simplified image data and basic image data corresponding to a simplified image that is selected by said selection device; and said signal transmission device transmits identifying information and a protect command corresponding to the simplified image that has been selected, to the external storage device (col. 17 lines 54-58).

#### [Claim 7]

Tomat discloses a box 256 in figure 28 which if unchecked will not warn before deleting and therefore reads on a command generation device that generates a protection cancel command for canceling prevention of deletion of simplified image data and basic image data corresponding to a simplified image that is selected by said selection device and said signal transmission device transmits identifying information and a protection cancel command corresponding to the simplified image that has been selected, to said external storage device.

#### [Claim 8]

Tomat et al. discloses an acquired icon 224 that indicates that the thumbnail images have been downloaded from camera 14 (col. 15 lines 66-67, figure 24).

#### [Claim 13]

Yamagata fails to teach a display device that displays a plurality of simplified images corresponding to said plurality of sets of simplified image data and when said signal transmission device is transmitting a set of basic image data, said display device controls display of said plurality of simplified images so as to be able to identify a simplified image that corresponds to the set of basic image data which is being transmitted.

Application/Control Number: 09/995,624

Art Unit: 2615

However Tomat et al. teaches a selection device that selects a single simplified image from plurality of simplified images which have been displayed upon said display device is provided (col. 17 lines 20-32, figure 26) and an acquired icon 224 that indicates that the thumbnail images have been downloaded from camera 14 (col. 15 lines 66-67, figure 24) in order to identify the thumbnail images easily to the user.

Therefore taking the combined teachings of Yamagata and Tomat it would be obvious to one skilled in the art at the time of the invention to have been motivated to have selected a single simplified image from plurality of simplified images which have been displayed upon said display device is provided and an acquired icon 224 that identifies that the thumbnail images have been downloaded from camera 14 after they have been transmitted in order to identify the thumbnail images that have been transmitted easily to the user.

### [Claim 14]

Claim 14 corresponds to claim 1 except an image storage device that is provided in said external storage device and stores at least said basic image data, which has been transmitted from said image data processing device.

However Tomat teaches that acquired icon 224 indicating that a photo-group 5 comprising thumbnail images has been downloaded from camera 14 (memory 36 inside the camera) to another storage device (PC) or that its full-resolution image file has been inserted into an application (col. 15 line 66- col. 16 line 10, figure 24).

Therefore taking the combined teachings of Yamagata and Tomat it would be obvious to one skilled in the art at the time of the invention to have been motivated to have an image storage device that is provided in said external storage device and stores at least said basic image data

which has been transmitted from said image data processing device in order to utilize the memory space in the image processing device efficiently.

Page 10

[Claim 15]

Claim 15 corresponds to claim 2 except an image storage device of said external storage device stores at least said basic image data which has been transmitted from said image data processing device. Tomat et al. teaches an identifying information generation device (figure 1, camera 14) that generates identifying information (figure 23, element 212) for individually identifying correspondence between said basic image data (thumbnail images identify corresponding image files) and said simplified image data (thumbnail shown in the viewing area 192, figure 22). wherein said signal transmission device transmits at least said basic image data and said identifying information to the external storage device (col. 14 line 54-col. 15 line 39, figures 22 and 23). It would be inherent that the camera 14 has an internal storage device stores that stores said thumbnail image data and said identifying information and transmits it to the PC.

[Claims 16, 18, 20]

Yamagata fails to teach the transmission of simplified image data corresponding to the basic image data.

However Tomat et al. teaches that acquired icon 224 indicating that photo-group 5 comprising thumbnail images has been downloaded from camera 14 (memory 36 inside the camera) to another storage device (PC) or that its full-resolution image file has been inserted into an application (col. 15 line 66- col. 16 line 10, figure 24).

Therefore taking the combined teachings of Yamagata and Tomat it would be obvious to one skilled in the art at the time of the invention to have been motivated to have an image storage device that is provided in said external storage device and stores at least said basic image data which has been transmitted from said image data processing device in order to utilize the memory space in the image processing device efficiently.

Page 11

[Claim 21]

See claims 17 and 19.

8. Claims 10, 26 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamagata (US Patent #6,263,106) in view of Yamaguchi et al. (US Patent #6,400,392). [Claim 10]

Yamagata teaches all the recited limitations of claim 1. Yamagata fails to teach wherein said display device performs control so as to lower a brightness of display image, when said signal transmission device is transmitting said basic image data to the external storage device.

However Yamaguchi teaches that display brightness of part of the window during transmission is reduced in order to easily grasp the overall atmosphere of the transmission (col. 15 line 66- col. 16 line 3).

Therefore taking the combined teachings of Yamagata and Yamaguchi et al. it would be obvious to one skilled in the art at the time of the invention to have been motivated to have a display device performs control so as to lower a brightness of display image into the basic image transmission of Yamagata in order to easily grasp the overall atmosphere of the transmission. [Claim 26]

Method claim 26 corresponds to apparatus claim 10 and is therefore analyzed and rejected the same as previously discussed with respect to apparatus claim 10.

[Claim 27]

Computer program storing claim 27 correspond to apparatus claim 10 and is therefore analyzed and rejected the same as previously discussed with respect to apparatus claim 10.

#### Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yogesh K. Aggarwal whose telephone number is (571) 272-7360. The examiner can normally be reached on M-F 9:00AM-5:30PM.

10. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Ometz can be reached on (571)-272-7593. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/995,624

Art Unit: 2615

11. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

Page 13

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

YKA October 13, 2005

> DAVID L. OMETZ SUPERVISORY PATENT